

The image features a close-up of vibrant green leaves with prominent veins, set against a soft, out-of-focus background of more greenery. The lighting is bright and natural, creating a fresh and organic atmosphere.

# CLASSICS SENSATIONS

 **Sauleda** Solar Pro



2015 AMARILLO N UV Protection 40



2052 NARANJA N UV Protection 60



2212 ROJO N UV Protection 40



2249 VERDEX UV Protection 80



2248 VERDE N UV Protection 60



2680 BOTELLA N UV Protection 60



2360 AZUL REAL X UV Protection 80



2359 AZUL REAL N UV Protection 60



2020 AZUL X UV Protection 80



2019 AZUL N UV Protection 60



2681 INTEGRAL X UV Protection 60 **NEW**



2165 MARRON X UV Protection 80



2149 MARRON N UV Protection 60



2148 MARRON BEIGE UV Protection 80





2275 BEIGE X UV Protection 60



2183 OCRE MARRON UV Protection 80



2641 OCRE X UV Protection 60



2120 KENIA UV Protection 80



2682 PIEDRA X UV Protection 60 **NEW**



2103 GRIS N UV Protection 60



2171 NEGRO N UV Protection 60





### Características técnicas

| Material        | Masacril® Acrílico tintado masa 100 % |                    |
|-----------------|---------------------------------------|--------------------|
| Hilos           | Urdimbre                              | 30 hilos (Nm 34/2) |
|                 | Trama                                 | 15 hilos (Nm 34/2) |
| Resistencia     | Urdimbre                              | 140 daN/5 cm       |
|                 | Trama                                 | 95 daN/5 cm        |
| Peso            | 300 g/m <sup>2</sup>                  |                    |
| Columna de agua | 360 mm                                |                    |
| Acabado         | Sauleda Fabric Protector              |                    |
| Longitud piezas | 60 m / 100 m                          |                    |
| Ancho           | 120 cm 4 <sup>+</sup>                 |                    |

### Technical characteristics

| Fabric           | Masacril® Acrylic solution dyed |                    |
|------------------|---------------------------------|--------------------|
| Yarns            | Warp                            | 30 hilos (Nm 34/2) |
|                  | Weft                            | 15 hilos (Nm 34/2) |
| Tensile Strength | Warp                            | 140 daN/5 cm       |
|                  | Weft                            | 95 daN/5 cm        |
| Weight           | 300 g/m <sup>2</sup>            |                    |
| Water repellency | 360 mm                          |                    |
| Finish           | Sauleda Fabric Protector        |                    |
| Length of rolls  | 60 m / 100 m                    |                    |
| Width            | 120 cm 4 <sup>+</sup>           |                    |







**Sauleda**

DESDE 1897

SAULEDA, S.A.  
Travessera de les Corts, 102  
08028 Barcelona (Spain)  
Tel. +34 933 397 150  
Fax +34 934 111 290  
sauleda@sauleda.com  
www.sauleda.com